

Search history

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|---------------------|
| 8 | 3190 | 707/10.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/09 09:54 |
| - | 2078 | 709/217.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 09:48 |
| - | 1 | data adj (repository or base) near index\$ near (metadata or meta-data or meta adj data) and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 09:14 |
| - | 776 | 709/202.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 09:15 |
| - | 3580 | 709/203.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 09:15 |
| - | 1137 | 709/218.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 09:15 |
| - | 1433 | 709/229.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 09:15 |
| - | 610 | 709/217.ccls. and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 10:02 |
| - | 294 | 709/217.ccls. and @pd<20010101 and search\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 10:02 |
| - | 9 | 709/217.ccls. and @pd<20010101 and search\$ and metadata | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 10:08 |
| - | 117 | index\$ and search\$ and gather and data and repository and locations and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 11:20 |
| - | 2 | ("5675785").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 13:03 |
| - | 0 | web adj robot\$ and @pd<20020101 and (search and index) near content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 13:06 |
| - | 31 | web adj robot\$ and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 15:00 |

| | | | | |
|---|-------|--|---|---------------------|
| - | 18960 | ("web crawler" "spider" "web robot") and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 15:01 |
| - | 0 | ("web crawler" "spider" "web robot") and @pd<20020101 and index\$ and search\$ and data adj (base or repository) and gather adj indexable adj metadata | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 15:02 |
| - | 33 | ("web crawler" "spider" "web robot") and @pd<20020101 and index\$ and search\$ and data adj (base or repository) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:58 |
| - | 1091 | koster.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 16:55 |
| - | 961 | koster.in. and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:06 |
| - | 0 | koster.in. and @pd<20020101 and martijn | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 16:57 |
| - | 0 | koster.in. and @pd<20020101 and crawler | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 16:57 |
| - | 14 | Bobby and @pd<20020101 and verif\$ and cast | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:12 |
| - | 99 | Bobby and @pd<20020101 and verif\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:12 |
| - | 0 | query adj website and settings and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:14 |
| - | 1 | query near website and settin\$ and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:14 |
| - | 0 | reading adj dynamic adj data and web | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:15 |
| - | 869 | dynamic adj data and web | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:15 |
| - | 475 | dynamic adj data and web and quer\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:16 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 104 | dynamic adj data and web and quer\$ and @pd<20020101 and config\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:16 |
| - | 127 | dynamic adj data and web and quer\$ and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:18 |
| - | 67 | dynamic adj data and web and quer\$ and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:30 |
| - | 875 | web and @pd<20010101 and password and confi\$ and access | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:47 |
| - | 15 | web and @pd<20010101 and password and confi\$ and access and robot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:31 |
| - | 8 | web and @pd<20010101 and password and confi\$ and access and spider | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 10:47 |
| - | 0 | web adj page near verif\$ and pars\$ and @pd<2001010 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 11:16 |
| - | 11 | web adj page near verif\$ and pars\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 11:16 |
| - | 2 | web adj page near verif\$ and pars\$ and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 11:23 |
| - | 41 | verif\$ adj web and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 11:23 |
| - | 7 | parsing adj web adj page and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:28 |
| - | 317 | determin\$ adj format and content and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:29 |
| - | 5 | determin\$ adj format and access adj content and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:30 |
| - | 0 | web and content adj parser and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:30 |

| | | | | |
|---|------|---|---|---------------------|
| - | 0 | web and content near \parser and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:30 |
| - | 25 | web and content near parse\$ and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:37 |
| - | 1263 | content near (parse\$ or format or access\$) and @pd<20010101 and determin\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:37 |
| - | 511 | content adj (parse\$ or format or access\$) and @pd<20010101 and determin\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:38 |
| - | 9 | content adj (parse\$ or format or access\$) and @pd<20010101 and determin\$ and parsers | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:39 |
| - | 104 | web adj page and content and determin\$ adj format | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:40 |
| - | 6 | web adj page and content and determin\$ adj format and @pd<20010101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/05 15:39 |
| - | 59 | web adj page and content and determin\$ adj format and media | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:41 |
| - | 8 | web adj page and content and determin\$ adj format and media and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:42 |
| - | 1 | pars\$ adj media and @pd<20020101 and web and format | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:43 |
| - | 1 | pars\$ adj media and @pd<20020101 and web and format and file | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:43 |
| - | 8 | embedded adj file and ("multi-media" or "multi media") and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:46 |
| - | 19 | embedded adj file and ("multi-media" or "multi media") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:44 |
| - | 7 | web adj robot and media and video and audio and graph\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:46 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 1 | web adj robot and media and video and audio and graph\$ and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:57 |
| - | 5 | ("meta data" or metadata) and multimedia adj format and pars\$ and content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 14:58 |
| - | 125 | multimedia adj format and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 15:55 |
| - | 125 | multimedia adj format and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 15:57 |
| - | 6 | (multimedia adj format or multi-media adj format) same (search or index or pars\$) and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:00 |
| - | 6 | (multimedia adj format or multi-media adj format or multi near media adj format) same (search or index or pars\$) and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:01 |
| - | 0 | pars\$ adj (many multi near media or multi or media) adj format and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:04 |
| - | 0 | pars\$ adj (many multi) adj format and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:04 |
| - | 45 | pars\$ adj format and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:04 |
| - | 16 | pars\$ adj format and @pd<20020101 and media | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:38 |
| - | 0 | index and password adj protec\$ and "web robot" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:39 |
| - | 0 | index and password adj protec\$ and "web robot" and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:42 |
| - | 233 | index and password adj protec\$ and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:42 |
| - | 17 | index same password adj protec\$ and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:44 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 1 | index near password adj protec\$ and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:42 |
| - | 858 | web near page and password and @pd<20020101 and (index search categor\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:44 |
| - | 111 | web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:45 |
| - | 92 | web near page and password adj protect\$ and @pd<20020101 and (index search) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:45 |
| - | 0 | web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and "web robot" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:45 |
| - | 5 | web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and "spider" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:48 |
| - | 61 | web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and setting | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:49 |
| - | 28 | web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and setting and index | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:51 |
| - | 16 | configur\$ near password and access and index and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:53 |
| - | 0 | @pd<20020101 and provided adj password same access and content and index | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:54 |
| - | 8 | @pd<20020101 and provid\$ adj password same access and index | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:55 |
| - | 6 | @pd<20020101 and provid\$ adj password same access and content and index | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:55 |
| - | 16 | index\$ and search and password and "spider" and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 16:59 |
| - | 37 | index\$ and search and "spider" and @pd<20020101 and (login or secure) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:02 |

| | | | | |
|---|---------|---|---|---------------------|
| - | 13 | index\$ and search and "spider" and @pd<20020101 and (login) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:17 |
| - | 158 | setting near password and access and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:19 |
| - | 1109350 | setting or provid\$ near password and access and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:20 |
| - | 317 | (setting or provid\$) near password and access and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:20 |
| - | 167 | (provid\$) near password and access and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:20 |
| - | 99 | (provid\$) near password and access and @pd<20020101 and config\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:20 |
| - | 1 | (provid\$) near config\$ near password and access and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:21 |
| - | 0 | "provided password to access" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:32 |
| - | 1005 | address and password and web near page and @pd<20020101 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:32 |
| - | 241 | address and password and web near page and @pd<20020101 and access and content and index | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:32 |
| - | 49 | address and password and web near page and @pd<20020101 and access and content and index and config\$ adj file | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:34 |
| - | 3 | address and password and web near page near content and @pd<20020101 and access and index and config\$ adj file | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:34 |
| - | 50 | address and password and web near page and @pd<20020101 and access and index and config\$ adj file | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:35 |
| - | 34 | address same password and web near page and @pd<20020101 and access and index and config\$ adj file | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/08 17:35 |